

**Application Source:**

**File Type:** Delimited

**File Group:**

**Reinsurance Year:** 2011

**Record Name:** Policy Producer Address

**Version:** DRAFT

**Record Code:** P10A

**Release Date:** 12/10/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
P10A		1	AIP Code	Character	2		Y	Y	AIP Code must be valid; edit with the AIP ICE, "D00100".
P10A		2	Reinsurance Year	Numeric	4	CCYY	Y	Y	Reinsurance Year must equal "2011".
P10A		3	Record Type Code	Character	6			Y	Record Type Code must equal "P10A".
P10A		4	AIP Policy Producer Key	Character	15		Y	Y	AIP Policy Producer Key must match the corresponding primary Policy Producer, "P10" record.
P10A		5	AIP Policy Producer Address Key	Character	15			Y	AIP Policy Producer Address Key must be unique within the AIP Policy Producer Key.
P10A		6	Street 1 Address	Character	65				Street 1 Address must contain only alpha numeric characters and can include the following special characters: ( ), (-), (,), (.), ('), (&), (%), (#), (/).
									Street 1 Address must be empty when International Country Code is populated.
									Street 1 Address is required when State Abbreviation is not empty.
P10A		7	Street 2 Address	Character	35				Street 2 Address must contain only alpha numeric characters and can include the following special characters: ( ), (-), (,), (.), ('), (&), (%), (#), (/).
P10A		8	City Name	Character	35		Y	Y	City Name must be valid; edit with the ZIP table when State Abbreviation is not empty.

Application Source:

File Type: Delimited

File Group:

Reinsurance Year: 2011

Record Name: Policy Producer Address

Version: DRAFT

Record Code: P10A

Release Date: 12/10/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
									City Name is required and must contain the International City Name when International Address is not empty.
P10A		9	State Abbreviation	Character	2		Y		State Abbreviation must be valid; edit with the Zip Code table when International Country Code is empty.
									State Abbreviation is required when International Country Code is empty.
									State Abbreviation must be empty when International Country Code is not empty.
P10A		10	Zip Code	Character	5		Y		Zip Code must be valid; edit with the Zip Code table.
									Zip Code is required when State Abbreviation is not empty.
									Zip Code must be empty when International Country Code is not empty.
P10A		11	Zip Extension Code	Character	4				Zip Extension Code must be exactly 4 characters in length, otherwise empty.
P10A		12	Phone Number Exception Code	Character	1				Phone Number Exception Code must be valid; edit with the Phone Number Exception ICE, "D00105".
P10A		13	Phone Number	Character	10		Y	Y	Phone Number must be 10 digits.
									Phone Number positions 1 through 3 must be greater than "099" and less than or equal to "998".

"\*" = Output Only

12/10/2010

**Application Source:**

**File Type:** Delimited

**File Group:**

**Reinsurance Year:** 2011

**Record Name:** Policy Producer Address

**Version:** DRAFT

**Record Code:** P10A

**Release Date:** 12/10/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
									Phone Number must not contain identical digits in all of the ten positions.
									Phone Number must equal the Phone Number from the P55A record when the Phone Number Exception Code is not empty.
P10A		14	Phone Extension Number	Character	6				Phone Extension Number must contain only numeric characters, otherwise empty.
									Phone Extension Number must not equal "000000".
P10A		15	International Address	Character	65				International Address is required when State Abbreviation is empty.
									International Address must contain only alphanumeric characters and can include the following special characters: ( ), (-), (.), (.), ('), (&), (%), (#), (/) when State Abbreviation is empty.
									International Address must be empty when State Abbreviation exists.
P10A		16	International Country Code	Character	2				International Country Code is required when State Abbreviation is empty.
									International Country Code must be empty when State Abbreviation is populated.

**Application Source:****File Type:** Delimited**File Group:****Reinsurance Year:** 2011**Record Name:** Policy Producer Address**Version:** DRAFT**Record Code:** P10A**Release Date:** 12/10/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
									International County Code must be valid, edit with the International Phone Country ICE, "D00108".
P10A		17	International Phone Country Code	Character	3				International Phone Country Code must equal the phone country code for the country selected.
									International Phone Country Code must be valid, edit with the International Phone Country ICE, "D00108".
P10A	*	18	Initial Accepted Batch Number	Numeric	4	9999			Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.
P10A	*	19	Initial Accepted Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Initial Accepted Date is the original date assigned when this record was first received at RMA.
P10A	*	20	Batch Received Date	Date/Time	21	CCYYMMDD hh:mm:ss.fff			Batch Received Date is the date that the AIP file is received by RMA.
P10A	*	21	Batch Number	Numeric	4	9999			Batch Number is a sequential number assigned when an AIP file is received.
P10A	*	22	Batch Record ID	Numeric	15				Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during processing. Batch Record ID is unique within the record type for the batch.

"\*" = Output Only

12/10/2010

**Application Source:**

**File Type:** Delimited

**File Group:**

**Reinsurance Year:** 2011

**Record Name:** Policy Producer Address

**Version:** DRAFT

**Record Code:** P10A

**Release Date:** 12/10/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
P10A	*	23	Process Result Code	Character	1				Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE , "D00002".

Application Source:

File Type: Delimited

File Group:

Reinsurance Year: 2011

Record Name: Policy Producer Address

Version: DRAFT

Record Code: P10A

Release Date: 12/10/2010

<u>Record</u> <u>Number</u>	<u>Output</u> <u>Number</u>	<u>Field</u> <u>Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u>	<u>Req?</u>	<u>Rules</u>
<b>Record Level Rules</b>									
									If any Policy Producer, "P10", "Policy Producer Address, "P10A" or Policy Producer Other Person, "P10B" record is rejected all associated records except the Fund Designation, "P09" will be rejected.
									The Policy Producer Address, "P10A" record must be submitted between 20100701 and 20150212.
									The Policy Producer Address, "P10A" record will not be accepted when processing has been suspended for this record type per RMA directive.
									The parent Policy Producer, "P10" record must exist for the Policy Producer Address, "P10A" record to be accepted.
									The parent Policy Producer, "P10" record must be free of errors for the Policy Producer Address, "P10A" record to be accepted.
									A Policy Producer "P10" record, must be accepted before a Policy Producer Address, "P10A" record, will be accepted.